

Lâmpadas de halógeno para estúdio, um casquilho



Áreas de aplicação


- Trabalho profissional no cinema e na TV
- Palcos de teatro e concertos
- Entretenimento

Características do produto


- Operação na tensão da rede elétrica: 120 V | 230 V | 240 V
- Temperatura da cor: 3.000 K (com expectativa de vida mais longa)
- Temperatura da cor: 3.200 K (para trabalho profissional em TV e cinema)




Ficha técnica da família de produto




341357_HALOGEN STUDIO LAMP 64670




341359_HALOGEN STUDIO LAMP 64673




341361_HALOGEN STUDIO LAMP 64716



339603_HALOGEN STUDIO LAMP 64744




339607_HALOGEN STUDIO LAMP 64756



341116_HALOGEN STUDIO LAMP 93734


Ficha técnica da família de produto




339605_HALOGEN STUDIO LAMP 64754



339927_HALOGEN STUDIO LAMP 64777, 64787, 64796



341112_HALOGEN STUDIO LAMP 64788




339929_HALOGEN STUDIO LAMP 64789



339931_HALOGEN STUDIO LAMP 64805



340665_HALOGEN STUDIO LAMP 64815



341114_HALOGEN STUDIO LAMP 64818

Ficha técnica da família de produto

Dados técnicos

Descrição do produto	Informação de Produto	Dados elétricos	Dimensões e peso			
	Referência do pedido	Tensão nominal	Diâmetro	Comprimento	Diâmetro do filamento	Comprimento do filamento
64670 500 W 230 V	64670	230 V	230 mm	900 mm	11,0 mm	
64670 500 W 240 V	64670	240 V	230 mm	900 mm	11,0 mm	
64673 300 W 230 V	64673	230 V	180 mm	900 mm	13,0 mm	
64673 300 W 240 V	64673	240 V	180 mm	900 mm	13,0 mm	
64674 500 W 230 V	64674	230 V	180 mm	900 mm	18,0 mm	
64674 500 W 240 V	64674	240 V	180 mm	900 mm	18,0 mm	
64678 800 W 230 V	64678	230 V	190 mm	1010 mm	13,0 mm	
	800W 230V					
64680 500 W 230 V	64680	230 V	220 mm	749 mm	10,0 mm	
	A1244 500					
64680 500 W 240 V	64680	240 V	220 mm	749 mm	10,0 mm	
	A1244 500					
64716 600 W 230 V	64716 GKV	230 V	190 mm	1010 mm	13,0 mm	
	600W					
64716 600 W 240 V	64716	240 V	190 mm	1010 mm	13,0 mm	
64717 650 W 230 V	64717	230 V	230 mm	900 mm	33,0 mm	
64717 650 W 240 V	64717	240 V	230 mm	900 mm	33,0 mm	
64718 650 W 230 V	64718	230 V	230 mm	900 mm	10,0 mm	
64718 650 W 240 V	64718 T/27	240 V	230 mm	900 mm	10,0 mm	
	GCT					
64719 650 W 230 V	64719	230 V	260 mm	1100 mm	11,0 mm	
64720 650 W 230 V	64720	230 V	260 mm	1100 mm	17,0 mm	
64721 650 W 230 V	64721	230 V	260 mm	1400 mm	17,0 mm	
64743 1000 W 120 V	64743 FEL	120 V	200 mm	1010 mm	24,4 mm	
	1000W					
64744 1000 W 230 V	64744	230 V	260 mm	1100 mm	15,0 mm	
64744 1000 W 240 V	64744	240 V	260 mm	1100 mm	15,0 mm	
64745 1000 W 230 V	64745	230 V	2600 mm	1100 mm	15,0 mm	13,00 mm
	CP/70 100					
64745 1000 W 240 V	64745	240 V	260 mm	1100 mm	15,0 mm	
64747 1000 W 230 V	64747	230 V	2600 mm	1400 mm	15,0 mm	13,00 mm
	CP/71 FKJ					
64747 1000 W 240 V	64747	240 V	260 mm	1400 mm	15,0 mm	
64752 1200 W 230 V	64752T/29	230 V	270 mm	1250 mm	15,0 mm	
	FWS 12					
64752 1200 W 240 V	64752T/29	240 V	270 mm	1250 mm	15,0 mm	
	FWS 12					
64754 1200 W 230 V	64754	230 V	270 mm	1250 mm	15,0 mm	
64756 1200 W 230 V	64756	230 V	260 mm	1400 mm	15,0 mm	
	CP/93 120					
64777 2000 W 230 V	64777	230 V	350 mm	1750 mm	19,0 mm	

Ficha técnica da família de produto

Descrição do produto	Informação de Produto	Dados elétricos	Dimensões e peso			
	Referência do pedido	Tensão nominal	Diâmetro	Comprimento	Diâmetro do filamento	Comprimento do filamento
64787 2000 W 230 V	64787 CP/75 200	230 V	350 mm	1600 mm	19,0 mm	
64788 2000 W 230 V	64788 CP72 FTM	230 V	350 mm	1450 mm	19,0 mm	
64788 2000 W 240 V	64788 CP/72 200	240 V	350 mm	1450 mm	19,0 mm	
64789 2000 W 230 V	64789 CP/73 FKK	230 V	350 mm	2100 mm	19,0 mm	
64789 2000 W 240 V	64789	240 V	350 mm	2100 mm	19,0 mm	
64796 2500 W 230 V	64796	230 V	350 mm	1750 mm	19,0 mm	
64805 5000 W 230 V	64805	230 V	6000 mm	2790 mm	33,0 mm	26,00 mm
64805 5000 W 240 V	64805	240 V	610 mm	2790 mm	33,0 mm	
64815 10000 W 230 V	64815	230 V	800 mm	3800 mm	35,0 mm	
64818 20000 W 230 V	64818	230 V	1000 mm	5500 mm	50,0 mm	
93723 1200 W 80 V	HP 1200W 80V G2	120 V	2540 mm	1207 mm	12,7 mm	
93734 1000 W 240 V	93734	240 V	200 mm	1020 mm	27,0 mm	

Descrição do produto	Vida útil	Informação adicional do produto	Atributos	Categoria específica para o país
	Vida mediana	Casquilho	Posição de funcionamento	Código ANSI
64670 500 W 230 V	300 h	GY9.5	s90	GCV/GVH
64670 500 W 240 V	300 h	GY9.5	s90	GCV/GVH
64673 300 W 230 V	200 h	GY9.5	Qualquer	FSL
64673 300 W 240 V	200 h	GY9.5	Qualquer	FSK
64674 500 W 230 V	200 h	GY9.5	Qualquer	FRH
64674 500 W 240 V	200 h	GY9.5	Qualquer	FRJ
64678 800 W 230 V	250 h	G9.5	s90	Other
64680 500 W 230 V	50 h	GY9.5	Qualquer	Other
64680 500 W 240 V	50 h	GY9.5	Qualquer	Other
64716 600 W 230 V	250 h	G9.5	s90	GKV
64716 600 W 240 V	250 h	G9.5	s90	GKV
64717 650 W 230 V	150 h	GY9.5	s90	FRL
64717 650 W 240 V	150 h	GY9.5	s90	Other
64718 650 W 230 V	400 h	GY9.5	s90	GCK/GCT
64718 650 W 240 V	400 h	GY9.5	s90	GCK/GCT
64719 650 W 230 V	750 h	GX9.5	s90	Other
64720 650 W 230 V	100 h	GX9.5	s90	Other
64721 650 W 230 V	100 h	G22	s90	FKH
64743 1000 W 120 V	300 h	G9.5	Qualquer	FEL

Ficha técnica da família de produto

	Vida útil	Informação adicional do produto	Atributos	Categoria específica para o país
Descrição do produto	Vida mediana	Casquilho	Posição de funcionamento	Código ANSI
64744 1000 W 230 V	750 h	GX9.5	s90	FWP
64744 1000 W 240 V	750 h	GX9.5	s90	FWP
64745 1000 W 230 V	200 h	GX9.5	s90	FVA
64745 1000 W 240 V	200 h	GX9.5	s90	FVA
64747 1000 W 230 V	200 h	G22	s90	FKJ
64747 1000 W 240 V	200 h	G22	s90	FKJ
64752 1200 W 230 V	400 h	GX9.5	s90	FWS
64752 1200 W 240 V	400 h	GX9.5	s90	FWS
64754 1200 W 230 V	200 h	GX9.5	s90	Other
64756 1200 W 230 V	200 h	G22	s90	Other
64777 2000 W 230 V	400 h	G22	s90	Other
64787 2000 W 230 V	400 h	G22	s90	Other
64788 2000 W 230 V	400 h	GY16	s90	FTM
64788 2000 W 240 V	400 h	GY16	s90	FTM
64789 2000 W 230 V	400 h	G38	s90	FKK/FKP
64789 2000 W 240 V	400 h	G38	s90	FKK/FKP
64796 2500 W 230 V	400 h	G22	s90	Other
64805 5000 W 230 V	400 h	G38	s90	Other
64805 5000 W 240 V	400 h	G38	s90	Other
64815 10000 W 230 V	350 h	G38	Other	Other
64818 20000 W 230 V	350 h	G38	Other	Other
93723 1200 W 80 V	300 h	G22	Other	Other
93734 1000 W 240 V	300 h	G9.5	Qualquer	FEP

		Dados logísticos	Environmental information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Descrição do produto	LIF	EAN 10 of contained light source	Date of Declaration	Primary Article Identifier
64670 500 W 230 V	T/25	4008321624017	22-04-2024	4008321624017
64670 500 W 240 V	T/25	4008321624031	22-04-2024	4050300283449 4008321624031
64673 300 W 230 V	CP/81	4052899015463	05-03-2024	4008321099785 4052899015463
64673 300 W 240 V	CP/81	4052899015487	05-03-2024	4008321099808 4008321131263 4052899015487
64674 500 W 230 V	CP/82	4052899015500	05-03-2024	4008321099822 4052899015500
64674 500 W 240 V	CP/82	4052899015524	22-04-2024	4008321099846 4052899015524
64678 800 W 230 V		4008321624055	22-04-2024	4050300609102 4008321624055
64680 500 W 230 V	A1/244	4008321098573	22-04-2024	4008321098573
64680 500 W 240 V	A1/244	4008321098597	22-04-2024	4008321098597

Ficha técnica da família de produto

		Dados logísticos	Environmental information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Descrição do produto	LIF	EAN 10 of contained light source	Date of Declaration	Primary Article Identifier
64716 600 W 230 V		4008321623973	22-04-2024	4008321623973
64716 600 W 240 V		4008321623997	22-04-2024	4008321623997
64717 650 W 230 V	CP/89	4008321624215	22-04-2024	4050300296692 4008321624215
64717 650 W 240 V	CP/89	4008321624239	22-04-2024	4008321624239
64718 650 W 230 V	T/27	4008321624253	22-04-2024	4008321624253
64718 650 W 240 V	T/27	4008321624277	22-04-2024	4008321624277
64719 650 W 230 V	T/12	4008321638076	22-04-2024	4008321638076
64720 650 W 230 V	CP/23	4008321638090	22-04-2024	4050300017716 4008321638090
64721 650 W 230 V	CP/39	4008321638113	22-04-2024	4008321638113
64743 1000 W 120 V		4008321225702	22-04-2024	4008321225702
64744 1000 W 230 V	T/19	4008321554833	22-04-2024	4008321554833
64744 1000 W 240 V	T/19	4008321554857	22-04-2024	4008321554857
64745 1000 W 230 V	CP/70	4008321468611	22-04-2024	4008597083105 4008321468611
64745 1000 W 240 V	CP/70	4008321468659	22-04-2024	4008321088901 4008321468659
64747 1000 W 230 V	CP/71	4008321468635	22-04-2024	4008321046949 4008321468635 4062172147071
64747 1000 W 240 V	CP/71	4008321468741	22-04-2024	4008321116895 4008321468741
64752 1200 W 230 V	T/29	4008321624475	22-04-2024	4008321624475
64752 1200 W 240 V	T/29	4008321624499	22-04-2024	4008321624499
64754 1200 W 230 V	CP/90	4008321624529	22-04-2024	4008321624529
64756 1200 W 230 V	CP/93	4008321624550	22-04-2024	4008597000379 4050300296722 4008321624550
64777 2000 W 230 V	CP/92	4008321632197	22-04-2024	4008321632197
64787 2000 W 230 V	CP/75	4008321653994	22-04-2024	4008321653994
64788 2000 W 230 V	CP/72	4008321632173	22-04-2024	4008321632173
64788 2000 W 240 V	CP/72	4008321632180	22-04-2024	4050300283258 4008321098870 4008321632180
64789 2000 W 230 V	CP/73	4008321654021	22-04-2024	4050300219103 4008321654021
64789 2000 W 240 V	CP/73	4008321654038	22-04-2024	4008321089939 4008321654038
64796 2500 W 230 V	CP/91	4008321653987	22-04-2024	4050300406428 4008321653987
64805 5000 W 230 V	CP/85	4052899129566	05-03-2024	4052899129566
64805 5000 W 240 V	CP/85	4052899129573	05-03-2024	4050300283401 4008321088895 4008321664532 4052899129573

Ficha técnica da família de produto

		Dados logísticos	Environmental information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Descrição do produto	LIF	EAN 10 of contained light source	Date of Declaration	Primary Article Identifier
64815 10000 W 230 V	CP/83	4050300780696	05-03-2024	4050300780696
64818 20000 W 230 V	CP/99	4008321792051	05-03-2024	4050300782713 4008321792051
93723 1200 W 80 V	CP/110	4008321370594	22-04-2024	4008321370594
93734 1000 W 240 V	CP/77	4050300350073	22-04-2024	4050300350073

Descrição do produto	Candidate List Substance 1	Declaration No. in SCIP database
64670 500 W 230 V	No declarable substances contained	No declarable substances contained
64670 500 W 240 V	No declarable substances contained	In work
64673 300 W 230 V	No declarable substances contained	No declarable substances contained
64673 300 W 240 V	No declarable substances contained	No declarable substances contained
64674 500 W 230 V	No declarable substances contained	No declarable substances contained
64674 500 W 240 V	No declarable substances contained	No declarable substances contained
64678 800 W 230 V	No declarable substances contained	In work
64680 500 W 230 V	No declarable substances contained	No declarable substances contained
64680 500 W 240 V	No declarable substances contained	No declarable substances contained
64716 600 W 230 V	No declarable substances contained	No declarable substances contained
64716 600 W 240 V	No declarable substances contained	No declarable substances contained
64717 650 W 230 V	No declarable substances contained	In work
64717 650 W 240 V	No declarable substances contained	No declarable substances contained
64718 650 W 230 V	No declarable substances contained	No declarable substances contained
64718 650 W 240 V	No declarable substances contained	No declarable substances contained
64719 650 W 230 V	No declarable substances contained	No declarable substances contained
64720 650 W 230 V	No declarable substances contained	In work
64721 650 W 230 V	No declarable substances contained	No declarable substances contained
64743 1000 W 120 V	No declarable substances contained	No declarable substances contained

Ficha técnica da família de produto

Descrição do produto	Candidate List Substance 1	Declaration No. in SCIP database
64744 1000 W 230 V	No declarable substances contained	No declarable substances contained
64744 1000 W 240 V	No declarable substances contained	No declarable substances contained
64745 1000 W 230 V	No declarable substances contained	In work
64745 1000 W 240 V	No declarable substances contained	No declarable substances contained
64747 1000 W 230 V	No declarable substances contained	In work
64747 1000 W 240 V	No declarable substances contained	No declarable substances contained
64752 1200 W 230 V	No declarable substances contained	No declarable substances contained
64752 1200 W 240 V	No declarable substances contained	No declarable substances contained
64754 1200 W 230 V	No declarable substances contained	No declarable substances contained
64756 1200 W 230 V	No declarable substances contained	In work
64777 2000 W 230 V	No declarable substances contained	No declarable substances contained
64787 2000 W 230 V	No declarable substances contained	No declarable substances contained
64788 2000 W 230 V	No declarable substances contained	No declarable substances contained
64788 2000 W 240 V	No declarable substances contained	In work
64789 2000 W 230 V	No declarable substances contained	In work
64789 2000 W 240 V	No declarable substances contained	No declarable substances contained
64796 2500 W 230 V	No declarable substances contained	In work
64805 5000 W 230 V	No declarable substances contained	No declarable substances contained
64805 5000 W 240 V	No declarable substances contained	No declarable substances contained
64815 10000 W 230 V	No declarable substances contained	No declarable substances contained
64818 20000 W 230 V	No declarable substances contained	In work
93723 1200 W 80 V	No declarable substances contained	No declarable substances contained
93734 1000 W 240 V	No declarable substances contained	No declarable substances contained

Ficha técnica da família de produto

Instruções de segurança

Para evitar ferimentos pessoais ou danos à propriedade, as lâmpadas de halógeno só podem ser utilizadas em luminárias adequadas concebidas com mecanismos adequados (escudo protetor, grades etc.) para assegurar que no caso de explosão de uma lâmpada nenhuma parte/fragmento possa escapar, nem que durante o funcionamento possa escapar radiação ultravioleta. Também deve haver uma sinalização de aviso para indicar que as lâmpadas emitem níveis altos de calor. Informações detalhadas estão disponíveis mediante solicitação.

Informações sobre aplicações

Para obter mais informações sobre aplicações e gráficos acesse a ficha técnica do produto.

Referências / Links

Um resumo das lâmpadas para estúdio pode ser encontrado no folheto das lâmpadas halógenas para estúdio

Para mais informações sobre as lâmpadas halógenas para estúdio, palcos e TV, consulte o folheto:

"Boas notícias para o show business"

"Lâmpadas halógenas de alta tensão", lista de referência cruzada

Retrato

Sujeito a alterações sem prévio aviso. Sempre utilize a versão mais recente.