

LEDiving CANBUS CONTROL UNIT

LEDiving CANBUS CONTROL UNIT



Bypasses the vehicle's outage detection

Prevents error messages in board computers during failure detection



Removable installation by fixed clips

Faston terminals with fix wire tap connectors



3 years OSRAM guarantee, refer to www.osram.com/am-guarantee for precise conditions

For more customer satisfaction



Prevents failure messages

The LEDiving CANBUS CONTROL UNIT serves as a bypass of a vehicle's lamp failure detection system when using a LED retrofit lamp. The control unit offers an easy installation and is suitable for most vehicle models with automatic lamp failure detection system. OSRAM provides a 3 year guarantee for this product.

Product family datasheet

Technical data

Product description	Electrical Data			Physical Attributes & Dimensions	Lifetime Data
	Power input	Nominal wattage	System wattage	Diameter	Lifespan B3
LED CANBUS CONTROL UNIT CCU01	6 W	5.00 W		8.7 mm	2000 hr
LED CANBUS CONTROL UNIT CCU02	25 W	21 W	21 W	16.0 mm	2000 hr

Product description	Lifespan Tc	Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)		
		Primary article identifier	Candidate list substance 1	Declaration no. in SCIP database
LED CANBUS CONTROL UNIT CCU01	2000 hr	4052899090873	No declarable substances contained	No declarable substances contained
LED CANBUS CONTROL UNIT CCU02	2000 hr	4052899301993	No declarable substances contained	No declarable substances contained

Product family datasheet

Equipment / Accessories

- Connector clips included

Download Data

File	
	User instruction LEDriving CANBUS CONTROL UNIT
	User instruction GPRS_Safety symbols instructions

Safety advice

Application advice:For more detailed application information and graphics please see product datasheet and user manual.

References / Links

Guarantee terms are available at www.osram.com/am-guarantee

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

